<?xml version="1.0" encoding="UTF-8"?>
@namespace html url(http://www.w3.org/1999/xhtml); :root { font:small Verdana; font-weight: bold; padding: 2em; padding-left:4em; } * { display: block; padding-left: 2em; } html|style { display: none; } html|span, html|a { display: inline; padding: 0; font-weight: normal; text-decoration: none; } html|span.block { display: block; } *[html|hidden], span.block[html|hidden] { display: none; } .expand { display: block; } .expand:before { content: '+'; color: red; position: absolute; left: -1em; } .collapse { display: block; } .collapse:before { content: '-'; color: red; position: absolute; left:-1em; } <metadata
xml:lang="en"><Esri><CreaDate>20130711</CreaDate><CreaTime>11042600</CreaTime><ArcGISFormat>1.0</ArcGISFormat><ArcGISstyle>FGDCl
CSDGM
Metadata</ArcGISstyle><SyncOnce>FALSE</SyncOnce><DataProperties><lineage><Process|
Time="102441" Date="20120628" ToolSource="C:\Program Files
(x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\3D Analyst Tools.tbx\Contour"
Name="Contour">Contour
G:\DDrive\PictometryProjects\SDMeade\SDMeade_LidarDataProducts.gdb\DEM10ft
G:\DDrive\PictometryProjects\SDMeade\Contours_Buffered.gdb\Tile9_Buffer_Cntr50m
2 0 1</Process><Process Time="102447" Date="20120628" ToolSource="C:\Program
Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Analysis Tools.tbx\Select"
Name="Select">Select
G:\DDrive\PictometryProjects\SDMeade\Contours_Buffered.gdb\Tile9_Buffer_Cntr50m
G:\DDrive\PictometryProjects\SDMeade\Contours_Buffered.gdb\Tile9_Buffer_Cntr50m_Select
""Shape_Length" > 60"</Process><Process Time="102448" Date="20120628"
ToolSource="C:\Program Files (x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AddField" Name="Add Field">AddField
G:\DDrive\PictometryProjects\SDMeade\Contours_Buffered.gdb\Tile9_Buffer_Cntr50m_Selectn
Index10ft SHORT # # # # NULLABLE NON_REQUIRED #</Process><Process Time="102451"
Date="20120628" ToolSource="C:\Program Files
(x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField" Name="Calculate Field">CalculateField
G:\DDrive\PictometryProjects\SDMeade\Contours_Buffered.gdb\Tile9_Buffer_Cntr50m_Selectf
Index10ft x VB "x = 0\nif [CONTOUR] mod 10 = 0 Then\nx = 1\nend
if"</Process><Process Time="102452" Date="20120628" ToolSource="C:\Program Files
(x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
Tools.tbx\AddField" Name="Add Field (2)">AddField
G:\DDrive\PictometryProjects\SDMeade\Contours_Buffered.gdb\Tile9_Buffer_Cntr50m_Select
Index20ft SHORT # # # # NULLABLE NON_REQUIRED #</Process><Process Time="102456"
Date="20120628" ToolSource="C:\Program Files
(x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField" Name="Calculate Field (2)">CalculateField
G:\DDrive\PictometryProjects\SDMeade\Contours_Buffered.gdb\Tile9_Buffer_Cntr50m_Select<
Index20ft x VB "x = 0\nif [CONTOUR] mod 20 = 0 Then\nx = 1\nend
if"</Process><Process Time="102457" Date="20120628" ToolSource="C:\Program Files
(x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
Tools.tbx\AddField" Name="Add Field (3)">AddField
G:\DDrive\PictometryProjects\SDMeade\Contours_Buffered.gdb\Tile9_Buffer_Cntr50m_Selectx
Index50ft SHORT # # # # NULLABLE NON_REQUIRED #</Process><Process Time="102500"
Date="20120628" ToolSource="C:\Program Files
(x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management
Tools.tbx\CalculateField" Name="Calculate Field (3)">CalculateField

G:\DDrive\PictometryProjects\SDMeade\Contours_Buffered.gdb\Tile9_Buffer_Cntr50m_Selecti
Index50ft x VB "x = 0\nif [CONTOUR] mod 50 = 0 Then\nx = 1\nend
if"</Process><Process Time="105411" Date="20120628" ToolSource="C:\Program Files
(x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Analysis Tools.tbx\Clip">Clip
G:\DDrive\PictometryProjects\SDMeade\Contours_Buffered.gdb\Tile9_Buffer_Cntr50m_SelectR
G:\DDrive\PictometryProjects\SDMeade\Breaklines.gdb\Tile9
G:\DDrive\PictometryProjects\SDMeade\Breaklines.gdb\Tile9_Buffer_Cntr50m_Select_
#</Process><Process Time="125234" Date="20120628" ToolSource="C:\Program Files
(x86)\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Cartography Tools.tbx\SmoothLine"
Name="Smooth Line">SmoothLine
G:\DDrive\PictometryProjects\SDMeade\BufferedTiles.gdb\Tile9_Buffer_Cntr50m_Select_o
G:\DDrive\PictometryProjects\SDMeade\ContourTiles.gdb\Tile9_Buffer_Cntr50m_Select_n
PAEK "6 Meters" FIXED_CLOSED_ENDPOINT
NO_CHECK</Process></lineage><itemProps><itemName
Sync="TRUE">Contour2ft_Tile000001</itemName><itemLocation><linkage
Sync="TRUE">file://\\GROUNDPOINT01\M$\DDrive\PictometryProjects\SDMeade\SDMeade_LidarDataProducts.gd
b</linkage><protocoll
Sync="TRUE">Local Area Network</protocol></itemLocation><nativeExtBox><westBL
Sync="TRUE">1139442.130000</westBL><eastBL
Sync="TRUE">1140073.725763</eastBL><southBL
Sync="TRUE">105993.200000</southBL><northBL
Sync="TRUE">108100.255073</northBL><exTypeCode
Sync="TRUE">1</exTypeCode></nativeExtBox><imsContentType
Sync="TRUE">002</imsContentType></itemProps><coordRef><type
Sync="TRUE">Projected</type><geogcsn
Sync="TRUE">GCS_North_American_1983</geogcsn><projcsn
Sync="TRUE">NAD_1983_StatePlane_South_Dakota_North_FIPS_4001_Feet</projcsn><peXmlS
Sync="TRUE"><ProjectedCoordinateSystem
xsi:type='typens:ProjectedCoordinateSystem'
xmlns:xsi='http://www.w3.org/2001/XMLSchema-instance'
xmlns:xs='http://www.w3.org/2001/XMLSchema'
xmlns:typens='http://www.esri.com/schemas/ArcGIS/10.0'><WKT>PROJCS["NAD_1983_StatePlane_South_Da
kota_North_FIPS_4001_Feet",GEOGCS["GCS_North_American_1983",DATUM["D_North_
American_1983",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich
",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Lambert_Conformal_Conic&qu
ot;],PARAMETER["False_Easting",1968500.0],PARAMETER["False_Northing",0.0],PARAM
ETER["Central_Meridian",-
100.0],PARAMETER["Standard_Parallel_1",44.41666666666666],PARAMETER["Standard_Paralle
l_2",45.68333333333333],PARAMETER["Latitude_Of_Origin",43.83333333333334],UNIT["
Foot_US",0.3048006096012192]],VERTCS["NAVD_1988",VDATUM["North_American_Ver
tical_Datum_1988"],PARAMETER["Vertical_Shift",0.0],PARAMETER["Direction",1.0
],UNIT["Foot_US",0.3048006096012192]]</WKT><XOrigin>-117605400</XOrigin><YOrigin>-
98207900</YOrigin><XYScale>37663734.538812354</XYScale><ZOrigin>-
100000</ZOrigin><ZScale>3048.0060960121918</ZScale><MOrigin>-
100000</MOrigin><MScale>10000</MScale><XYTolerance>0.0032808333333333335</XYTolerance><ZTolerance
>0.0032808333333333335</ZTolerance><MTolerance>0.001</MTolerance><HighPrecision>true</HighPrecision><
WKID>3454</WKID></ProjectedCoordinateSystem></peXml><csUnitso
Sync="TRUE">Linear Unit: Foot_US
(0.304801)</csUnits></coordRef></DataProperties><SyncDate>20120717</SyncDate><SyncTime>11411300</SyncT
ime><ModDate>20120717</ModDate><ModTime>11411300</ModTime></Esri><eainfo><detailed,
Name="Contour2ft_Tile000001"><enttyp><enttypl
Sync="TRUE">Contour2ft_Tile000001</enttypl><enttypt Sync="TRUE">Feature
Class</enttypt><enttypc Sync="TRUE">97</enttypc></enttyp><attr><attrlabl
Sync="TRUE">OBJECTID</attrlabl><attalias

Sync="TRUE">OBJECTID</attalias><attrtype Sync="TRUE">OID</attrtype><attwidth
Sync="TRUE">4</attwidth><atprecis Sync="TRUE">0</atprecis><attscale
Sync="TRUE">0</attscale><attrdef Sync="TRUE">Internal feature
number.</attrdef><attrdefs Sync="TRUE">ESRI</attrdefs><attrdomv><udom
Sync="TRUE">Sequential unique whole numbers that are automatically
generated.</udom></attrdomv></attr><attr><attrlabl
Sync="TRUE">Shape</attrlabl><attalias Sync="TRUE">Shape</attalias><attrtype
Sync="TRUE">Geometry</attrtype><attwidth Sync="TRUE">0</attwidth><atprecis
Sync="TRUE">0</atprecis><attscale Sync="TRUE">0</attscale><attrdef
Sync="TRUE">Feature geometry.</attrdef><attrdefs
Sync="TRUE">ESRI</attrdefs><attrdomv><udom Sync="TRUE">Coordinates defining the
features.</udom></attrdomv></attr><attr><attrlabl
Sync="TRUE">Id</attrlabl><attalias Sync="TRUE">Id</attalias><attrtype
Sync="TRUE">Integer</attrtype><attwidth Sync="TRUE">4</attwidth><atprecis
Sync="TRUE">0</atprecis><attscale Sync="TRUE">0</attscale></attr><attr><attrlabl
Sync="TRUE">Contour</attrlabl><attalias Sync="TRUE">Contour</attalias><attrtype
Sync="TRUE">Double</attrtype><attwidth Sync="TRUE">8</attwidth><atprecis
Sync="TRUE">0</atprecis><attscale Sync="TRUE">0</attscale></attr><attr><attrlabl
Sync="TRUE">Index10ft</attrlabl><attalias
Sync="TRUE">Index10ft</attalias><attrtype
Sync="TRUE">SmallInteger</attrtype><attwidth Sync="TRUE">2</attwidth><atprecis
Sync="TRUE">0</atprecis><attscale Sync="TRUE">0</attscale></attr><attr><attrlabl
Sync="TRUE">Index20ft</attrlabl><attalias
Sync="TRUE">Index20ft</attalias><attrtype
Sync="TRUE">SmallInteger</attrtype><attwidth Sync="TRUE">2</attwidth><atprecis
Sync="TRUE">0</atprecis><attscale Sync="TRUE">0</attscale></attr><attr><attrlabl
Sync="TRUE">Index50ft</attrlabl><attalias
Sync="TRUE">Index50ft</attalias><attrtype
Sync="TRUE">SmallInteger</attrtype><attwidth Sync="TRUE">2</attwidth><atprecis
Sync="TRUE">0</atprecis><attscale Sync="TRUE">0</attscale></attr><attr><attrlabl
Sync="TRUE">Shape_Length</attrlabl><attalias
Sync="TRUE">Shape_Length</attalias><attrtype
Sync="TRUE">Double</attrtype><attwidth Sync="TRUE">8</attwidth><atprecis
Sync="TRUE">0</atprecis><attscale Sync="TRUE">0</attscale><attrdef
Sync="TRUE">Length of feature in internal units.</attrdef><attrdefs
Sync="TRUE">ESRI</attrdefs><attrdomv><udom Sync="TRUE">Positive real numbers
that are automatically
generated.</udom></attrdomv></attr></detailed></eainfo><mdLang><languageCode
value="eng"/><countryCode Sync="TRUE" value="US"/></mdLang><mdHrLv><ScopeCd
value="005"/></mdHrLv><mdContact><rpIndName>Karen
Kwsanowski</rpIndName><rpOrgName>GroundPoint Technologies
LLC</rpOrgName><rpPosName>Chief Technical
Officer</rpPosName><rpCntInfo><cntPhone><voiceNum>315-459-
1515</voiceNum></cntPhone><cntAddress><delPoint>17t
Highland
Dr</delPoint><city>Marcellus</city><adminArea>NY</adminArea><postCode>13108</postCode><country>US</co
untry></cntAddress></rpCntInfo><role><RoleCdr
value="007"/></role></mdContact><mdDateSt
Sync="TRUE">20120717</mdDateSt><mdStanName>ArcGIS
Metadata</mdStanName><mdStanVer>1.0</mdStanVer><distInfo><distributor><distorCont><rpOrgName>Meade</r
pOrgName><rpCntInfo><cntPhone><voiceNum>999-999-
9999</voiceNum></cntPhone><cntAddress><delPoint>Nott
available</delPoint><city>Not
available</city><adminArea>SD</adminArea><postCode>99999</postCode><country>US</country></cntAddress><

/rpCntInfo><role><RoleCda
value="005"/></role></distorCont></distributor><distTranOps><onLineSrc><linkage>LidarDataProducts.gdb</linkag
e></onLineSrc></distTranOps><distFormat><formatNames
Sync="TRUE">File Geodatabase Feature
Class</formatName></distFormat></distInfo><dataIdInfo><idCitation><resTitle
Sync="TRUE">Contour2ft_Tile000001</resTitle><date><pubDate>2012-07-
17</pubDate></date><citRespParty><rpOrgName>KarenM
Kwasnowski</rpOrgName><role><RoleCd
value="006"/></role></citRespParty><presForm><PresFormCd
value="002"/></presForm><presForm><fgdcGeoform>document</fgdcGeoform></presForm></idCitation><idAbs>L
idar>
Data Products for the Meade, SD collection area including a 10ft Digital
Elevation Model (DEM), and tiled 2ft Contours.</idAbs><idPurp>The lidar dataset
was collected to be utilized for the creation of a digital elevation model and
2ft contours. Other uses expected.</idPurp>><idStatus><ProgCd
value="001"/></idStatus><idPoC><rpIndName>Thom S.
Salter</rpIndName><rpOrgName>Pictometry International
Corp.</rpOrgName><rpPosName>Manager, Photogrammetric
Production</rpPosName><rpCntInfo><cntPhone><voiceNum>585-486-0093</voiceNum><faxNum>585-486-
0098</faxNum></cntPhone><cntAddress><delPoint>100s
Town Centre Drive, Suite
A</delPoint><city>Rochester</city><adminArea>NY</adminArea><postCode>14623</postCode><country>US</cou
ntry></cntAddress><cntHours>0900-1700</cntHours></rpCntInfo><role><RoleCd"
value="007"/></role></idPoC><resMaint><maintFreq><MaintFreqCd
value="012"/></maintFreq></resMaint><placeKeys><keyword>Meade
County</keyword><thesaName><resTitle>Geographic Names Index
Service</resTitle></thesaName></placeKeys><placeKeys><keyword>South
Dakota</keyword></placeKeys><themeKeys><keyword>LiDAR</keyword><thesaName><resTitle>EDIs
Thesaurus</resTitle></thesaName></themeKeys><searchKeys><keyword>LiDAR</keyword><keyword>Southr
Dakota</keyword><keyword>Meade
County</keyword></searchKeys><resConst><LegConsts><useLimit>See access and use
constraints information./useLimit><othConsts>Access to this data is constrained
by the license agreements between Pictometry International and Meade,
SD/othConsts></LegConsts></resConst><resConst><Consts><useLimit>Access to this
data is constrained by the license agreements between Pictometry International
and Meade, SD./useLimit></Consts></resConst><dataLang><languageCode
value="eng"/><countryCode Sync="TRUE" value="US"/></dataLang><envirDesc
Sync="TRUE">Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 3; ESRI
ArcGIS
10.0.4.4000</envirDesc><dataExt><geoEle><GeoBndBox><westBL>-112.125088</westBL><eastBL>-
111.678816</eastBL><southBL>43.623514</southBL><northBL>43.78476</northBL></GeoBndBox></geoEle></da
taExt><dataExt><exDesc>PublicationL
Date</exDesc><tempEle><TempExtent><exTemp><TM_Instant><tmPosition>2012-01-
01</tmPosition></TM_Instant></exTemp></TempExtent></tempEle><geoEle/></dataExt><spatRpType><SpatRepT
ypCdC
Sync="TRUE" value="001"/></spatRpType><dataExt><geoEle><GeoBndBox
esriExtentType="search">><exTypeCode Sync="TRUE">1</exTypeCode><westBL
Sync="TRUE">-103.155679</westBL><eastBL Sync="TRUE">-103.152965</eastBL><northBL
Sync="TRUE">44.085580</northBL><southBL
Sync="TRUE">44.079737</southBL></GeoBndBox></geoEle></dataExt></dataIdInfo><mdConst><Consts><useLi
mit>AccessS
to this data is constrained by the license agreements between Pictometry
International and Meade,
SD./useLimit></Consts></mdConst><dqInfo><dqScope><scpLvl><ScopeCd

value="005"/></scpLvl></dqScope><report type="DQConcConsis"><measDesc>Visual checks were used to make sure all features and feature classes are complete.</measDesc></report><report type="DQCompOm"><measDesc>Visual checks were used to make sure all features and feature classes are complete.</measDesc></report><dataLineage><prcStep><stepDesc>Terrain, DEM, and 2ft Contours:For the Bare Earth Data, the Lidar Point Data was converted to a Multipoint feature class, with a filter for Ground (class 2). A Collection Area Boundary breakline was created from the classified lidar points. Breaklines for water bodies and wide rivers were created from the lidar data. The multipoint feature classes and the breaklines feature classes were used to create a Ground terrain for the collection area. The terrain was converted to a DEM with 10ft cell resolution. The DEM was used to create the 2ft tiled contours. The contours were edited in the following manner: Lines shorter than 60ft (1.5 raster cells) were deleted, the lines were smoothed using a PAEK algorithm. Attributes were added for 10ft, 20ft, and 50ft Index contours. A Lidar Tile Index Feature Class was created for the original lidar files and a Contour Tiles Index feature class was created for the contour tiles. A hillshade was also created for the DEM using default ESRI illumination parameters.</stepDesc><stepDateTm>2012-07-17</stepDateTm></prcStep></dataLineage></dqInfo><mdHrLvNamet
Sync="TRUE">dataset</mdHrLvName><refSysInfo><RefSystem><refSysID><identCode
Sync="TRUE" value="3454" code="3454"/><idCodeSpace
Sync="TRUE">EPSG</idCodeSpace><idVersion
Sync="TRUE">7.4.1</idVersion></refSysID></RefSystem></refSysInfo><spatRepInfo><VectSpatRep><geometObjs

Name="Contour2ft_Tile000001"><geoObjTyp><GeoObjTypCd Sync="TRUE"
value="002"/></geoObjTyp><geoObjCnt
Sync="TRUE">97</geoObjCnt></geometObjs><topLvl><TopoLevCd Sync="TRUE"
value="001"/></topLvl></VectSpatRep></spatRepInfo><spdoinfo><ptvctinf><esriterm><efeatyp.
Sync="TRUE">Simple</efeatyp><efeageom Sync="TRUE" code="3"/><esritopo
Sync="TRUE">FALSE</esritopo><efeacnt Sync="TRUE">97</efeacnt><spindex
Sync="TRUE">TRUE</spindex><linrefer
Sync="TRUE">FALSE</linrefer></esriterm></ptvctinf></spdoinfo></metadata>