<?xml version="1.0"?>
@namespace html url(http://www.w3.org/1999/xhtml); :root { font:small Verdana; font-weight: bold; padding: 2em; padding-left:4em; } * { display: block; padding-left: 2em; } html|style { display: none; } html|span, html|a { display: inline; padding: 0; font-weight: normal; text-decoration: none; } html|span.block { display: block; } *[html|hidden], span.block[html|hidden] { display: none; } .expand { display: block; } .expand:before { content: '+'; color: red; position: absolute; left: -1em; } .collapse { display: block; } .collapse:before { content: '-'; color: red; position: absolute; left:-1em; }
<!DOCTYPE metadata SYSTEM "http://www.fgdc.gov/metadata/fgdc-std-001-1998.dtd">
<metadata> <idinfo> <citation> <citeinfo> <origin>Merrick & Co</origin>
<pubdate>2012</pubdate> <title Sync="TRUE">446_14</title> <geoform
Sync="TRUE">vector digital data</geoform> <serinfo> <sername>Contours
2ft</sername> <issue>Contours 2ft</issue> </serinfo> <pubinfo> <pubplace>Aurora,
Co</pubplace> <publish>Merrick & Co</publish> </pubinfo> <ftname
Sync="TRUE">446_14</ftname><onlink
Sync="TRUE">\\den-
gss\gss\Mapping\Projects\65217127_Omaha_COE_Missouri_River\Production\Final_Client_Deliverables\UTM14\Del
1\Contours_2ft_tile_shp\446_14.shp</onlink></citeinfo>
</citation> <descript> <abstract>The Contours feature class was created using
MARS software. A three foot/three pass gridded surface was used to generate tile
based ESRI shape files. The shape files are merged together and topology
validation was performed. The ground classified lidar points along with the
breaklines were used to create the TIN which the contours were generated from.
This file is split into client specific tiles 5000ft by 5000ft.</abstract>
<purpose>unknown</purpose> <supplinf>1205 square miles of LiDAR and Digital
Imagery 2 meter GSD LiDAR 1' pixel imagery to be collected and processed by
Pixxures Develop bare-earth digital surface model (DSM) from LIDAR data
Bare-earth DSM delivered in 3 formats (see deliverable list) Tiling scheme to
be developed by Merrick. Breaklines will be captured to develop a digital
terrain model (DTM) Discrete spot elevations to collected. Interpolate two-foot
(2') contours from DSM Contours and DTM delivered in Microstation V8i Select
Series format All data to meet ASPRS Class 2 specifications for 1"=200' scale
products. Final 1' color orthos delivered in GeoTIFF format Ground control
provided by Midland Surveying</supplinf> <langdata
Sync="TRUE">en</langdata></descript> <timeperd> <timeinfo> <rngdates>
<begdate>20111201</begdate> <begtime>unknown</begtime>
<enddate>20120321</enddate> <endtime>unknown</endtime> </rngdates> </timeinfo>
<current>ground condition</current> </timeperd> <status>
<progress>Complete</progress> <update>Unknown</update> </status> <spdom>
<bounding> <westbc Sync="TRUE">-98.558897</westbc> <eastbc
Sync="TRUE">-98.552415</eastbc> <northbc Sync="TRUE">43.055582</northbc>
<southbc Sync="TRUE">43.051390</southbc> </bounding> <lboundng><leftbc
Sync="TRUE">1758275.928034</leftbc><rightbc
Sync="TRUE">1760000.000045</rightbc><bottombc
Sync="TRUE">15638481.842924</bottombc><topbc
Sync="TRUE">15639999.999999</topbc></lboundng></spdom> <keywords> <theme>
<themekt>none</themekt> <themekey>LIDAR</themekey> <themekey>DTM</themekey>
<themekey>Contours</themekey> <themekey>Spot Elevations</themekey>
<themekey>Orthophotography</themekey> </theme> <place> <placekt>none</placekt>
<placekey>Missouri River</placekey> <placekey>Nebraska</placekey> </place>

<temporal> <tempkt>none</tempkt> <tempkey>2011</tempkey>
<tempkey>2012</tempkey> </temporal> </keywords> <accconst>Unknown</accconst>
<useconst>Unknown</useconst> <ptcontac> <cntinfo> <cntperp> <cntper>Ty
Sabin</cntper> <cntorg>U.S. Army Corps of Engineers, Omaha District</cntorg>
</cntperp> <cntpos>Contracting Officer's Representative</cntpos> <cntaddr>
<addrtype>mailing and physical address</addrtype> <address>1616 Capital Ave.,
Suite 9000</address> <city>Omaha</city> <state>NE</state> <postal>68102</postal>
<country>USA</country> </cntaddr> <cntvoice>402-995-2258</cntvoice>
<cntemail>Ty.J.Sabin@usace.army.mil</cntemail> <hours>0800-1700 CST</hours>
</cntinfo> </ptcontac> <native Sync="TRUE">Microsoft Windows XP Version 5.1
(Build 2600) Service Pack 3; ESRI ArcCatalog 9.3.1.4000</native> <natvform
Sync="TRUE">Shapefile</natvform></idinfo> <dataqual> <attracc>
<attraccr>n/a</attraccr> </attracc> <logic>Data covers the tile scheme provided
for the project.</logic> <complete>All data were visually inspected against the
orthophotography to ensure the completeness of feature collection.</complete>
<posacc> <horizpa> <horizpar>The ortho imagery horizontal positional accuracy
and the assurance of that accuracy depend, in part, on the accuracy of the data
inputs to the rectification process. These inputs consist of the digital terrain
model (DTM), fully digital analytic aerotriangulation (FDAAT) control and
methods, the photo source camera calibration, and digital aerial photographs.
The orthoimagery output from these inputs meet National Map Accuracy Standards
(NMAS). Aerial cameras have current certification from the USGS, National
Mapping Division, Optical Science Laboratory.</horizpar> <qhorizpa>
<horizpav>1.25 feet RMSEr</horizpav> <horizpae>1.25 feet RMSEr</horizpae>
</qhorizpa> </horizpa> <vertacc> <vertaccr>LIDAR surface was tested for
vertical accuracy by comparing their values to known control points. Merrick
used new and existing ground control points to support the accuracy
requirements. The result of this is shown in the LIDAR control report.
Supplemental breaklines were added to more accurately model certain
features.</vertaccr> <qvertpa> <vertaccv>.14 feet RMSEz</vertaccv> <vertacce>.14
feet RMSEz</vertacce> </qvertpa> </vertacc> </posacc> <lineage> <srcinfo>
<srccite> <citeinfo> <origin>Merrick & Co</origin> <pubdate>2012</pubdate>
<pubtime>Unknown</pubtime> <title>Ground Control</title>
<geoform>spreadsheet</geoform> <serinfo> <sername>Ground Control</sername>
<issue>Ground Control</issue> </serinfo> <pubinfo> <pubplace>Aurora,
Co</pubplace> <publish>Maryville, MO</publish> </pubinfo> </citeinfo> </srccite>
<srcscale>2400</srcscale> <typesrc>disc</typesrc> <srctime> <timeinfo>
<sngdate> <caldate>2012</caldate> </sngdate> </timeinfo> <srccurr>ground
condition</srccurr> </srctime> <srccitea>Ground Control</srccitea> <srccontr>GPS
control network</srccontr> </srcinfo> <srcinfo> <srccite> <citeinfo>
<origin>Merrick & Co</origin> <pubdate>2012</pubdate>
<pubtime>Unknown</pubtime> <title>LIDAR</title> <geoform>LAS data</geoform>
<serinfo> <sername>LIDAR</sername> <issue>LIDAR</issue> </serinfo> <pubinfo>
<pubplace>Aurora, Co</pubplace> <publish>Merrick & Co</publish> </pubinfo>
</citeinfo> </srccite> <srcscale>2400</srcscale> <typesrc>disc</typesrc>
<srctime> <timeinfo> <rngdates> <begdate>20111201</begdate>
<begtime>unknown</begtime> <enddate>20120321</enddate>
<endtime>unknown</endtime> </rngdates> </timeinfo> <srccurr>ground
condition</srccurr> </srctime> <srccitea>LIDAR</srccitea> <srccontr>LIDAR points
form the basis of the DTM surface.</srccontr> </srcinfo> <procstep>
<procdesc>The Contours feature class was created using MARS software. A three
foot/three pass gridded surface was used to generate tile based ESRI shape
files. The shape files are merged together and topology validation was
performed. The ground classified lidar points along with the breaklines lines

was used to create the TIN which the contours were generated from. This file is split into client specific tiles 5000ft by 5000ft.</procdesc> <srcused>Ground Control</srcused> <srcused>LIDAR</srcused> <procdate>20120601</procdate> <proctime>09174200</proctime> <proccont> <cntinfo> <cntperp> <cntper>Brian Holzworth</cntper> <cntorg>Merrick & Co</cntorg> </cntperp> <cntpos>Project Manager</cntpos> <cntaddr> <addrtype>mailing and physical address</addrtype> <address>2450 S. Peoria St</address> <city>Aurora</city> <state>Co</state> <postal>80014</postal> </cntaddr> <cntvoice>303-353-3952</cntvoice> <cntemail>brian.holzworth@merrick.com</cntemail> <hours>0800-1700 MST</hours> </cntinfo> </proccont> </procstep> </lineage> <cloud>0%</cloud> </dataqual> <spdoinfo> <direct Sync="TRUE">Vector</direct> <ptvctinf> <sdtsterm Name="446_14"> <sdtstype Sync="TRUE">String</sdtstype> <ptvctcnt Sync="TRUE">92</ptvctcnt> </sdtsterm> <esriterm Name="446_14"><efeatyp Sync="TRUE">Simple</efeatyp><efeageom Sync="TRUE">Polyline</efeageom><esritopo Sync="TRUE">FALSE</esritopo><efeacnt Sync="TRUE">92</efeacnt><spindex Sync="TRUE">FALSE</spindex><linrefer Sync="TRUE">FALSE</linrefer></esriterm></ptvctinf> </spdoinfo> <spref> <horizsys> <planar> <planci> <plance Sync="TRUE">coordinate pair</plance> <coordrep> <absres Sync="TRUE">0.000000</absres> <ordres Sync="TRUE">0.000000</ordres> </coordrep> <plandu Sync="TRUE">survey feet</plandu> </planci> <mapproj><mapprojn Sync="TRUE">Transverse Mercator</mapprojn><transmer><sfctrmer Sync="TRUE">0.999600</sfctrmer><longcm Sync="TRUE">-99.000000</longcm><latprjo Sync="TRUE">0.000000</latprjo><feast Sync="TRUE">1640416.666667</feast><fnorth Sync="TRUE">0.000000</fnorth></transmer></mapproj></planar> <geodetic> <horizdn Sync="TRUE">North American Datum of 1983</horizdn> <ellips Sync="TRUE">Geodetic Reference System 80</ellips> <semiaxis Sync="TRUE">6378137.000000</semiaxis> <denflat Sync="TRUE">298.257222</denflat> </geodetic> <cordsysn><geogcsn Sync="TRUE">GCS_North_American_1983</geogcsn><projcsn Sync="TRUE">NAD_1983_UTM_Zone_14N_USft</projcsn></cordsysn></horizsys> <vertdef> <altsys> <altdatum>North American Vertical Datum of 1988</altdatum> <altres>0.001</altres> <altunits>feet</altunits> <altenc>Explicit elevation coordinate included with horizontal coordinates</altenc> </altsys> </vertdef> </spref> <eainfo> <detailed Name="446_14"> <enttyp> <enttypl Sync="TRUE">446_14</enttypl> <enttypd>Contours 2ft</enttypd> <enttypds>Merrick & Co</enttypds> <enttypt Sync="TRUE">Feature Class</enttypt><enttypc Sync="TRUE">92</enttypc></enttyp> <attr> <attrlabl>FID</attrlabl> <attrdef>Internal feature number.</attrdef> <attrdefs>ESRI</attrdefs> <attrdomv> <udom>Sequential unique whole numbers that are automatically generated.</udom> </attrdomv> <attalias Sync="TRUE">FID</attalias><attrtype Sync="TRUE">OID</attrtype><attwidth Sync="TRUE">4</attwidth><atprecis Sync="TRUE">0</atprecis><attscale Sync="TRUE">0</attscale></attr> <attr> <attrlabl>Shape</attrlabl> <attrdef>Feature geometry.</attrdef> <attrdefs>ESRI</attrdefs> <attrdomv> <udom>Coordinates defining the features.</udom> </attrdomv> <attalias Sync="TRUE">Shape</attalias><attrtype Sync="TRUE">Geometry</attrtype><attwidth Sync="TRUE">0</attwidth><atprecis Sync="TRUE">0</atprecis><attscale Sync="TRUE">0</attscale></attr> <attr> <attrlabl>layer</attrlabl> <attrdef>Layer</attrdef> <attrdefs>Merrick & Co</attrdefs> <attrdomv> <udom>Layer</udom> </attrdomv> <attalias Sync="TRUE">layer</attalias><attrtype Sync="TRUE">String</attrtype><attwidth Sync="TRUE">25</attwidth></attr> <attr> <attrlabl>elev</attrlabl> <attrdef>Elev</attrdef> <attrdefs>Merrick & Co</attrdefs> <attrdomv> <udom>Elev</udom> </attrdomv> <attalias Sync="TRUE">elev</attalias><attrtype Sync="TRUE">Number</attrtype><attwidth Sync="TRUE">9</attwidth></attr> <attr>

<attrlabl>Shape_Leng</attrlabl> <attrdef>Length</attrdef> <attrdefs>Merrick &
Co</attrdefs> <attrdomv> <udom>Length</udom> </attrdomv> <attalias
Sync="TRUE">Shape_Leng</attalias><attrtype Sync="TRUE">Float</attrtype><attwidth
Sync="TRUE">19</attwidth><atnumdec Sync="TRUE">11</atnumdec></attr> </detailed>
<overview> <eaover>see attributes</eaover> <eadetcit>see attributes</eadetcit>
</overview> </eainfo> <metainfo> <metd Sync="TRUE">20120601</metd> <metc>
<cntinfo> <cntperp> <cntper>Ty Sabin</cntper> <cntorg>COE</cntorg> </cntperp>
<cntpos>Contracting Officer's Representative</cntpos> <cntaddr>
<addrtype>REQUIRED: The mailing and/or physical address for the organization or
individual.</addrtype> <address>1616 Capital Ave., Suite 9000</address>
<city>Omaha</city> <state>NE</state> <postal>68102</postal>
<country>USA</country> </cntaddr> <cntvoice>402-995-2258</cntvoice>
<cntemail>Ty.J.Sabin@usace.army.mil</cntemail> <hours>0800-1700 CST</hours>
</cntinfo> </metc> <metstdn Sync="TRUE">FGDC Content Standards for Digital
Geospatial Metadata</metstdn> <metstdv Sync="TRUE">FGDC-STD-001-1998</metstdv>
<mettc Sync="TRUE">local time</mettc> <metac>unknown</metac>
<metuc>unknown</metuc> <metextns>
<onlink>http://www.esri.com/metadata/esriprof80.html</onlink> <metprof>ESRI
Metadata Profile</metprof> </metextns> <metextns>
<onlink>http://www.esri.com/metadata/esriprof80.html</onlink> <metprof>ESRI
Metadata Profile</metprof> </metextns> <metextns>
<onlink>http://www.esri.com/metadata/esriprof80.html</onlink> <metprof>ESRI
Metadata Profile</metprof> </metextns> <metextns>
<onlink>http://www.esri.com/metadata/esriprof80.html</onlink> <metprof>ESRI
Metadata Profile</metprof> </metextns> <metextns>
<onlink>http://www.esri.com/metadata/esriprof80.html</onlink> <metprof>ESRI
Metadata Profile</metprof> </metextns> <langmeta
Sync="TRUE">en</langmeta><metextns><onlink
Sync="TRUE">http://www.esri.com/metadata/esriprof80.html</onlink><metprof
Sync="TRUE">ESRI Metadata Profile</metprof></metextns></metainfo>
<dataIdInfo><envirDesc Sync="TRUE">Microsoft Windows XP Version 5.1 (Build
2600) Service Pack 3; ESRI ArcCatalog
9.3.1.4000</envirDesc><dataLang><languageCode Sync="TRUE"
value="en"/></dataLang><idCitation><resTitle
Sync="TRUE">446_14</resTitle><presForm><PresFormCd Sync="TRUE"
value="005"/></presForm></idCitation><spatRpType><SpatRepTypCd Sync="TRUE"
value="001"/></spatRpType><dataExt><geoEle><GeoBndBox
esriExtentType="native"><westBL Sync="TRUE">1758275.928034</westBL><eastBL
Sync="TRUE">1760000.000045</eastBL><northBL
Sync="TRUE">15639999.999999</northBL><southBL
Sync="TRUE">15638481.842924</southBL><exTypeCode
Sync="TRUE">1</exTypeCode></GeoBndBox></geoEle></dataExt><geoBox
esriExtentType="decdegrees"><westBL Sync="TRUE">-98.558897</westBL><eastBL
Sync="TRUE">-98.552415</eastBL><northBL Sync="TRUE">43.055582</northBL><southBL
Sync="TRUE">43.05139</southBL><exTypeCode
Sync="TRUE">1</exTypeCode></geoBox></dataIdInfo><mdLang><languageCode
Sync="TRUE" value="en"/></mdLang><mdStanName Sync="TRUE">ISO 19115 Geographic
Information - Metadata</mdStanName><mdStanVer
Sync="TRUE">DIS_ESRI1.0</mdStanVer><mdChar><CharSetCd Sync="TRUE"
value="004"/></mdChar><mdHrLv><ScopeCd Sync="TRUE"
value="005"/></mdHrLv><mdHrLvName
Sync="TRUE">dataset</mdHrLvName><distinfo><resdesc Sync="TRUE">Downloadable
Data</resdesc><stdorder><digform><digtinfo><transize
Sync="TRUE">0.417</transize><dssize

Sync="TRUE">0.417</dssize></digtinfo></digform></stdorder></distinfo><distInfo><distributor><distorTran><onLineSrc><orDesco
Sync="TRUE">002</orDesc><linkage
Sync="TRUE">file://\\den-gss\gss\Mapping\Projects\65217127_Omaha_COE_Missouri_River\Production\Final_Client_Deliverables\UTM14\Del1\Contours_2ft_tile_shp\446_14.shp</linkage><protocol5
Sync="TRUE">Local Area Network</protocol></onLineSrc><transSize
Sync="TRUE">0.417</transSize></distorTran><distorFormat><formatName
Sync="TRUE">Shapefile</formatName></distorFormat></distributor></distInfo><refSysInfo><RefSystem><refSysID><identCoden
Sync="TRUE">NAD_1983_UTM_Zone_14N_USft</identCode></refSysID></RefSystem></refSysInfo><spatRepInfo><VectSpatRep><topLvl><TopoLevCdS
Sync="TRUE" value="001"/></topLvl><geometObjs
Name="446_14"><geoObjTyp><GeoObjTypCd Sync="TRUE"
value="001"/></geoObjTyp><geoObjCnt
Sync="TRUE">92</geoObjCnt></geometObjs></VectSpatRep></spatRepInfo><Esri><SyncDate>20120601</SyncDate><SyncTime>16341300</SyncTime><ModDate>20120601</ModDate><ModTime>16341300</ModTime></Esri><mdDateSts
Sync="TRUE">20120601</mdDateSt></metadata>